# STATE OF ILLINOIS

ORIGINAL

Date:

### ILLINOIS COMMERCE COMMISSION

Petition for j	permission to make a major change in crossin
protection,	or to install new protection under 92 Illinois
Administrat	ive Code 1535.400 (d).

X-11954 TO2-0104

February 11, 2003

To the ILLINOIS COMMERCE COMMISSION:

The petitioner Norfolk Southern Railway Company shows

- (1) That it is a railroad company operating a line of railroad in the State of Illinois.
- (2) That petitioner proposes and hereby makes application for authority to make a major change in crossing protection, or to install new protection, under 92 Illinois Administrative Code 1535.400 (d) adopted by this Commission.
- (3) That the location of the crossing, nature of protection now established and proposed to be established, and other pertinent facts in connection therewith, are set forth in the statement attached to and forming part of this petition.
- (4) That petitioner's reasons and purpose, with reference to its said proposal are to:

Modification of Grade Crossing Warning Devices requested by Illinois I	Department of Trans	portation
at: CR-1100E in Catlin, Vermilion County, Illinois, DOT: 479 879N,		
MP. D-309.41		
File No. 061-04.404	Project No. 04.0	419

(5) That the facts set forth in this petition and in the statement and plans or plats attached thereto, are, all of them, true and correct to the best of petitioner's knowledge and belief.

WHEREFORE, the petitioner prays that the Commission will, if deemed desirable by the Commission, set the aforesaid matter for hearing, and that the Commission enter an order or adopt at resolution consenting to and granting authority for the making of the said proposed changes in or additions to crossing protection.

Norfolk Southern Railway Company

R. H. Ray, Administrator Highway Grade Crossings

Thomas W. Ambler (Attorney for Petitioner)

Norfolk Southern Corporation
Three Commercial Place
Norfolk, VA 23510-2191
(Attorney's Address)

**DOCKETED** 

Statement, attached to and part of an application for permission to make a major change in crossing protection or to install new protection, under 92 Illinois Administrative Code 1535.400(d).


1.	Name of Railroad Company	Norfolk Southern Railway Cor	npany
2.	Crossing Number	479 879N	
3.	Village or City	Catlin	
4.	Name of Street or Highway		•
5.	Public Agency Maintaining Highway	County	
6.	Protection now established:		
	Passive Cross Buck Signs.		
			·
7.	Protection desired:		
	Modify grade crossing warning devices	to Flashing Light Crossing Sig	nals
	with Gates controlled by constant warn		
8.	Number of main tracksTwo		
9.	Number of passenger movements:		
	6 a.m. to 6 p.m. None	6 p.m. to 6 a.m.	None
10.	Number of freight train movements:		
	6 a.m. to 6 p.m. Twenty-Nine	6 p.m. to 6 a.m	Seventeen
11.	Approximate number of switch movement		
	6 a.m. to 6 p.m. One		None
	Maximum speed of trains at crossing on ea	•	
	North/East 60 M.P.H. on Both Tracks	·	
	South/West 60 M.P.H. on Both Tracks		
13	Passenger platforms served by tracks with		
. J.	i appender branching per tea of cracks with		
	<u></u>		

14.	Where automatic signals or gates are proposed, approximate number of train or engine movements daily which would cause false indications or operation:
	None
15.	Nature and approximate amount of street or highway traffic over crossing:
	100 AADT including vehicles, truck and buses
	In addition to the information listed hereinbefore in Form 3, attach a track plan or plat of the proposed crossing. This plan should show:
	(a) Width and surface of highway.
	(b) Highway intersections (including private driveways to be so indicated) and location of established highway signs or signals within 100 feet of crossing.
ı	(c) Location of tracks, switches and other railroad facilities such as block signals, etc. within limits of track circuits, present and/or proposed.
	(d) Where automatic protection is proposed, show proposed location of signals (side lights, cantilevers, etc., if any).
(	(e) Show the length of each operating track section within the control limits of the crossing protection and its function.
	ADDITIONAL INFORMATION
Dra	awing attached for question no. 16
···	

# (File Original and Two Duplicates)

# **VERIFICATION**

I, <u>R. H. Ray</u>	_, first being o	duly sworn upon oath d	lepose and say that I am
Administrator – Highway Grade Crossings	, of	Norfolk Southern R	ailway Company , a
Virginia corporation; that I have read the contents thereof; that said contents are true in substinformation and belief, and as to those, I believe said	stance and in	fact, except as to those	
		P.N. L	>
		Administrator - Hig	hway Grade Crossings
Subscribed and sworn to before me this 11		,	
day of February 20 03.			
1/1/AD			
Notary Rublic (Georgia) or Witness			
My Commission Expires:			



				Sec. 1.	L
STATE IN					
V.X					
		P		(a)	3987' TR-218 APPROACH ( EDGE OF RO 3937' TO NEAREST GCP WIRES
		MF-N			TO DECATUR  3987' TR-218 APPROACH (TO EDGE OF ROAD) 3937' TO MEAREST GCP WIRES
	. 1	BS 62		"	DATUR
-		2775-			<b>"</b>
_		1543 (			
		A)- MF-NBS 62775-1543 (285HZ)			
		S			
	ŧ	÷	i i		
	i i			<u>.</u>	
	•				
		· .			FLGS
	٠				
_		·	_ <u>_0′</u>	285 HZ 17.5 KHZ          TR-218    479 8790	3000
			<u>t</u>	HZ KHZ 218 9 879N	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
NORFOLK				<u>n</u>	
PROPERTY NORFOLK SOUTHERN RAILWAY CO.				S	
THERN R				-	
AILWAY	÷		<u>548</u> ′		
œ.					
N S	DESIG TTH ORAN SWS CHECK				
IN SERVICE	DESIGNED BY: TTH 01-14-03 DRAWN BY: SWS 01-14-03 CHECKED BY: SEK 01-22-03		<u>215</u> 4′	0-3 <b>6</b> 5 ₩.₽.	
CAUDO DWG.					
₹ Q C	PROFILE	•		· · · · · · · · · · · · · · · · · · ·	
CADD or LFDS38941.02	S S S S S S S S S S S S S S S S S S S			:	
or LFDS30941.02	POFILE  SOUTHERN OFFICE OF ASS'T. VICE PRESIDENT   M.P.: COMM. & SIGNAL, ATLANTA, GR. FLOS AT   H-218 FLOS AT   H-218 FLOS AT   H-218				3987' TR-218 APPROACH (TO EDGE OF ROAD)  TO NEAREST CCP WIRES
	NORFOLK SOUTHERN E PRESIDENT LP. ANTL CATLIN IR-218			000	WIRES
SHEET 2	9			⊗	<b>②</b>
의	D-309,41				1
<u>@</u>				<b>*</b>	# A A A A A A A A A A A A A A A A A A A

- î



### **Detailed Estimate for Grade Crossing Warning Devices**

City/State: CATLIN, IL

Road: CR-1100E

MilePost: D-309.41

DOT/AAR: 479879N

State Proj. No.:

County: VERMILION

S&E Proj. No.: 04.0419

AFE:

Man Days: 80

File Number: 061-04.404

\*\*\*Purchases - Other\*\*\*

Meals and Lodging:

\$6,630.00

Rental of Equipment:

\$14,480.00

(2 Trucks, 1 Backhoe w/ Trailer and 1 Pipe-Pusher for 20 Days)

Construction Supervision Vehicle:

\$270.00

Contingencies:

\$540.00

Purchases - Other Total:

\$21,920.00

\*\*\* Material and Additives\*\*\*

Material Cost:

\$69,160.00

Sales and Use Tax:

\$3,460.00

Material Handling Freight:

\$6,570.00

Material Total:

\$79,190.00

\*\*Labor and Additives\*\*\*

Labor Cost:

\$17,040.00

(4 man crew at \$852.00 a day for: 20 days)

Payroll Tax & Overheads:

\$14,750.00

Preliminary Engineering:

\$7,590.00

Construction Supervision:

\$4,810.00

Labor Total:

\$44,190.00

Subtotal:

\$145,300.00

Credit:

\$0.00

(Salvage/Scrap)

**Project Total:** 

\$145,300.00

Estimated on: 10-Feb-03

Estimated by: ndney

Estimate valid for 1 year from date of estimate

# Highway Crossing Signalization Program - Material List

Do not substitute items without permission from S & E Engineering

									,					
1 Set - Waterial Manag 2 Sets - with plans ship 1 Set - S&E Gen. Supt	Vendor to supply the fol	Tax Code:	Supervisor	Store Number	AFENumber	File Number:	Project Number	AAR Number	County:	State Project Number:	Drawing Number	Milepost	Road:	City:
Set - Material Management with original invoice . Sets - with plans shipped in car with material Set - S&E Gen. Supt. Construction w/ copy of invoice	Vendor to supply the following copies after pricing:	1200	K.L. RUSSELL			061-04.404	04.0419	479879N	VERMILION		LFDS30941	D-309.41	CR-1100E	CATLIN

07-Feb-03

		-			-	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			-		
		-				CABLE, UG 12 CONDUCTOR NO 14 AWG SOLID EACH CONDUCTOR WITH 5/64 IN INSULATION 10 MIL	\$1,023.40	\$2.56	두	00 465-939422-4	400
						CABLE, U.G. 5 COND. NO. 6 AWG SOLID COPPER CABLE 4 TO MEET NS CORP. SPEC. FOR SIGNAL	\$1,199.44	\$3.00	5	0 465-292929-4	400
						CABLE, U-2-6 TWISTED, S-23 OKONITE 113-12-3933 4 SOLID TINNED CONDUCTOR	\$601.74	\$1.00	듀	0 465-292862-4	600
						BRACKET, GATE SAVER, NEG385102GS, SPRING LOADED SWING AWAY ADAPTER FOR FIBERGLASS/ALUMINUM GATES, USE WITH GATE 28' AND LESS	\$2,402.40	\$1,201.20	₽,	670-561375-4	2
			-				\$127.41	\$63.71	₽	670-980689-4	2
- - - - - - -						BERM WALL/BACK GUY ANCHOR, A.B. CHANCE# 88135 (ORDER 4 PER BERM WALL) OR (1 PER POWER SOURCE)	\$93.74	\$11.72	Ę.	215-003229-4	ω .
						BERM WALL, ARMCO SEMI-CIRC.12 GA GALV. STEEL 4'- 6" HIGH (FOR FLS, FLGS & CFLS) COMPLETE W/POSTS	\$1,057.48	\$528.74	E.A	670-010843-4	2
				-	·	BERM WALL DEADEND, STRANDVISE GRAYBAR# 5201T (ORDER 2 PER POWR SOURCE) OR (26 PER BERM WALL)	\$369.32	\$7.10	E	165-479603-4	52
						BERM WALL ANCHOR ROD, WITH NUT A.B. CHANCE #6417 (ORDER 4 PER BERM WALL)	\$84.33	\$10.54	Ę,	165-000341-4	ω
100 m						BELL, CROSSING ELECTRONIC GENERL SIGNAL, EB-3-360-5 CR 02-044350	\$185.75	\$185.75	ΕA	670-503047-4	
*40-5					-	BATTERY, GNB 265AH MODEL 50A11 SINGLE CELL 2.25 VOLTS	\$2,004.81	\$154.22	Ε̈́Α	105-871901-4	13
						ARM, GATE FIBERGLASS-ALUMINUM 17-24 FT., L&W OR US&S OR SAFETRAN 076600-240017 OR	\$493.32	\$246.66	Ę	670-001321-4	22
						AC SERVICE, COMPLETE LESS METER BASE, ASSEMBLED ON 30' POLE	\$1,028.00	\$1,028.00	Ē	165-006505-4	
Ĭ.						AAR/DOT. NUMBER PLATE/DECAL, ORDER 3 PER PROJECT: 60 DAY LEAD TIME. SUPPLIED BY STRAN	\$14.46	\$4.82	Ę	670-360693-4	ω
Special Instructions	Quantity Returned (Credit)	Date Quan.	Quantity Installed  e Date Date n. Quan. Q	Qua Date Quan.	Quantity Shipped	Item Description	Total Price	Price per Item	⊆	Class-Item-CD	Qty.
SW Signal Engineering Company	nal Enginee		Vendor:		H	Date Required: Date Shipped:	umber:	P.O. Number		No.:	Store No.:
Page 1/ 4				)941	LFDS30941	AFE No.: Drawing No.:	S&E Proj. No.: 04.0419	IL S&E Pr		on: CATLIN	Location:
	3										

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

SEAL NUMBER

Location:	n: CATLIN		IL S&E Proj. No.:	oj. No.: 04.0419	AFE No.:  Date Required:  Date Shipped:	LFDS30941		Vendor:	SW Sig	nal Enginee	SW Signal Engineering Company
Store No.:	lo.:		7.0. 2	umber			Qua	Quantity Installed	ed	Quantity	2
O <sub>V</sub>	Class-item-CD	⊆	Price per Item	Total Price	Item Description	Quantity Shipped	Date Quan.	Date Quan.	Date Quan.	Returned (Credit)	Special Instructions
300	465-791835-4	7	\$1.96	\$587.40	CABLE, UG AC ENTRANCE 3C#6-7X OKONITE FMPF-L 094-078 TR W/G 1 X 8 7X W010 BRZ TAPE 600V PRODUCT CODE 206-11-6070						
120	165-544477-4	F	\$2.00	\$239.47	CONDUIT, 4"X10" PVC, SCHEDULE 80 BELL CONNECTOR AT ONE END, 1/2 PT. GLUE IN KIT 670-123298-4						
4	670-090450-4	Ψ.	\$49.62	\$198.50	CONNECTOR, WELDED FAR RAIL HARMON A1000-2W						
4	670-486646-4	5	\$40.66	\$162.64	CONNECTOR, WELDED NEAR RAIL HARMON A1000-1W						
2	670-793404-4	<u>F</u>	\$838.38	\$1,676.76	COUNTERWEIGHT PKAGE, 17-24'GATE S'TRAN S- MECH ONLY, STAINLESS, TO INCLUDE HUB, SUPPORT ARMS						
4	670-760012-4	Ę.	\$34.90	\$139.59	COVER, FOR 1 WAY FLASHING LIGHT ASSY: 18 OZ. BLACK VINYL COATED NYLON. ====TO COVER 2 LAMPS====						
	3 670-080337-4	罗	\$0.73	\$2.18	DECAL, X'ING SIGNAL MALFUNCTION 11" X 4", GATE MOUNT						
	3 670-077544-4	5	\$0.54	\$1.63	DECAL, X'ING SIGNAL MALFUNCTION 6" X 6", MAST MOUNT				-		
	1 670-986650-4	<u>5</u>	\$361.26	\$361.26	DISPOSAL, CONSTRUCTION DEBRIS AND CLEANING XING EQUIPMENT CONTAINER				_		
	1 670-000004-4	₽	\$281.44	\$281.44	FCC LICENSE FOR MONITOR/RADIO				 		
	6 670-000003-4	E.	\$255.85	\$1,535.10	FILL/STONE #57, QUANITY IS BASED ON TRUCK LOAD PLUS DELIVERY COST						
-	2 670-015231-4	_ <del>*</del>	A \$381.69	\$763.37	FOUNDATION, DIXIE, S-2 GATE 5'6" ASSEMBLED						
ļ	1 670-477991-4		EA \$292.81	\$292.81	KIT, GROUNDING ASSY FOR AL I/S INCLUDES 8 GRD RDS,200#4WIRE,12 4 WIRE ONE-SHOTS. ERICO SBK206	<u> </u>					
!	1 670-123298-4		EA \$256.93	3 \$256.93	WIT, HARDWARE SUPPLIES REQUIRED X'ING P'CKAGES WEB CONNECTORS FOR SHUNT(8EA) TAPE, AMPS, P'GUM PAINT, SLEEVES, TAGS, GLUE, 100 EA WILLITE TAGS, NIE CAN BILLE MARKING PAINT ETC	·					

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

SEAL NUMBER

		-		-							
						SHUNT, MULTI-FREQ. #62775-1543 SAFETRAN NARROW BAND	\$1,882.24	\$470.56	Ę	4 670-652773-4	
	-			-		SHUNT COVER WILAG SCREWS, 19"X19", SERRMI #40271, ORDER 1 PER SHUNT	\$138.98	\$34.74	Ę	4 670-586967-4	
						SHELTER, WIFARADAY, WIGENERATOR CONNECTION, BARE 6X6 ALUMINUM SAFETRAN P/N 058400-66-78B, WIADJ, PIERS	\$7,006.00	\$7,006.00	<u> </u>	670-066502-4	<u>ــــــــــــــــــــــــــــــــــــ</u>
						REEL, CABLE DISPOSABLE FOR CROSSING SIGNAL PACKAGES	\$83.51	\$20.88	5	465-002899-4	4
						PROTECTOR, SURGE 3-WIRE PLUS GRD 120/240 JOSLYN ELECTRONICS 1259-21-A FOR I/S AC BREAKER PANEL	\$140.72	\$140.72	5	670-166532-4	
						PINNACLE, W-C SECT 1-11, 4"& 5" REF K1 110-8 OR SAFETRAN NO. @035045-503X	\$8.43	\$8.43	ĘĄ	670-514605-4	
7.00						PADLOCK, SAFETRAN PART NO. 030399-29X SCREW TYPE FOR CIR CONTROLLER AND BTY. BOX	\$9.49	\$9.49	Ę	255-646807-4	
						PACKAGE, HARDWARE SIGN 5 IN. MOUNTING, SERRMI A1250-5, HARMON @200965-000, OR	\$231.90	\$57.98	5	670-001347-4	4
9.90						MONITOR, HWY XING, ( DEMA-NS8-1M ) W/DUAL SENSOR & RITRON RADIO, FREQ. COMBO #1, CH 1 = 160.950MHZ, CH 2 = 161.535MHZ, INCLUDES WIRING AND INSTALLATION	\$2,901.80	\$2,901.80	\$	670-803515-4	
3	· · · · · · · · · · · · · · · · · · ·	<u></u>		· · · · · ·		MECHANISM, GATE MODEL S40, WITH CONTACT HEATER, COMPLETE W/RELAY STRAN # 074000-W00090	\$5,865.62	\$2,932.81	₽	670-521147-4	2
1000						MAST, 5" ALUMINUM 13'10" WITH DOUBLE JCT. BOX BASE. S'TRÀN P# 070519-11AX.	\$2,111.09	\$1,055.55	Ę	670-637778-4	2
						LOCK, AMERICAN LOCK MODEL H-10KA KEYED ALIKE TO PRIVATE KEYWAY D456 AND STAMPED "NS SIG"	\$62.47	\$15.62	EA	255-590880-4	4
				· .		LAMP, 18 WATT 10 VOLT S-11 SC BAY 18S11/1SC CLEAR RWY SIGNAL UJ-71463 GE	\$50.60	\$8.43	5	165-643547-4	<b>o</b>
i percebura i internationale						LAMP ASSY, 5* MAST MTG. 2W IND. 20" BKGRD, FLX-12 W/BULB STRAN #042003-487XNS	\$1,814.18	\$907.09	ξ	670-764166-4	2
Special Instructions	Quantity Returned (Credit)	)ate uan.	Quantity Installed  be Date E  Quan. Quan.	Quan.	Quantity Shipped	Item Description	Total Price	Price per ftem	<u> </u>	Class-ltem-CD	Off.
Vendor: SW Signal Engineering Company	gnal Engine	SW Si	Vendor:		₽-	Date Required: Date Shipped:	umber:	P.O. Number:		No.:	Store No.:
Page 3/ 4				)941	LFDS30941	9 AFE No.: Drawing No.:	S&E Proj. No.: 04.0419	IL S&E PI		on: CATLIN	Location:

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

SEAL NUMBER

2	P. CATIN		= S&E	S&E Proj. No.: 04.0419	AFE No.:	Drawing No.: LFDS30941	30941				Page 4/ 4
5	Location. Contra		i 0 (	BO Number	Date Required:	Date Shipped:		Vendor	: SW Si	ınal Engine	Vendor: SW Signal Engineering Company
Office Mo.	No						۵	Quantity Installed	alled	Quantity	
Ş Q	Class-Item-CD	⊆	Price per Item	Total Price	Item Description	Quantity Shipped	y Date d Quan.	Date Quan.	Date Quan.	Returned (Credit)	Special Instructions
2	670-806648-4	Ę	\$56.42	\$112.84	SIGN, X-BUCK, LESS HARDWARE, SAFETRAN 035200-X CR 02-490546	00-X	·				
2	670-006438-4	E.	\$10.54	\$21.08	TAPE, 4" X 96" REFLECTIVE APPLY TO BACK OF X-BUCK SIGN. ONLY IN IA., IN., IL., AL. 035200-555X	CCX					
_	670-330382-4	꾸	\$10.75	\$10.75	TAPE, THOR 3" DURATEC, ORANGE 1000' LENGTHS. "WARNING STOP DIGGING"						
300	465-377911-4	크	\$0.42	\$125.88	WIRE, ALUMOWELD GUY 7 #10 STRAND BERM WALL / POLELINE GUY WIRE (ORDER 150' PER BERM WALL) PER GLSEXTON 2-17-98	E					
	670-405488-4	<u>E</u>	\$29,396.00	\$29,396.00	WIRED RACK, 6X6 FARADAY, COMPLETE/GCP3000DZ DOUBLE TRK, 20 AMP SSCCIII, 4 ISL MOD, 1 SAFTRAN CHARGER, 1 CRAGG CHARGER 2 RELAY RACKS, SAFTRAN PIN T15384 USE WITH I/S 670-786834-4	AN					

Total Material \$69,158.24